

## VENDED STACK TUMBLE DRYERS

SAT30 Stacked Tumble Dryer (White or Stainless) SAT45 Stacked Tumble Dryer (White or Stainless)







## THE BEST IN CLASS JUST GOT BETTER

For more than a century, Speed Queen has been at the forefront of the industry, building our legacy by providing equipment that stands up to any commercial laundry challenge.

We make no compromises in performance and refuse to be outdone in reliability and efficiency. And our commitment to quality is only matched by our commitment to your success, delivering you the most profitable machines in the industry, bar none.

Unlike some competitors these Speed Queen tumblers are built specifically for the coin laundry environment; we use metal where others use plastic and our world-class test lab rigorously pushes our products far beyond the conditions they'll face in the field.

For commercial laundry equipment designed for use in fire stations, aged care facilities, hotels, correctional facilities, spas, hair salons, sporting organisations or any other industry application, you can rely on the tried, tested and proven performance of Speed Queen, to make your life simpler and more productive.

Industry leading manufacturing in the USA and Europe, refined for more than a century and built to last, Speed Queen Laundry equipment represents a secure investment for your vended laundry solutions.



# DEDICATED TO A HIGHER STANDARD

Uncomplicated. Uncompromising. Unmatched. Enjoy heavy-duty construction that will provide reliable operation for years to come.

Our stacked tumble dryers feature a concentrated airflow pattern and sealed cylinder rims to ensure maximum air utilisation and energy savings. Patented drum hole construction limits the passing of certain sized screws and objects to limit damage to the machine.

Our tumble dryers are designed with fewer moving parts, so that you'll face fewer maintenance problems and less wear and tear. We make it even easier with a large, easy-to-clean lint compartment and a heavy-duty door hinge designed to withstand heavy usage.



### FEATURES

### QUANTUM™ SYSTEM

The Quantum System combines easy to use controls so customers can go about their laundry with a minimum of fuss, with industry leading software for investors to monitor their investment.

### QUANTUM GOLD CONTROL

Quantum Gold offers operators the pinnacle in flexibility. Machines are networkable and audit reports can be easily acessed to monitor for performance and maintenance. This port also is the manager's glimpse at the laundry operation as machine audit data can be downloaded to a PC.

### MDC CONTROL

Set drying time, temperature and cool down. Features include one touch cycle repeat, automatic extended tumble and large digital countdown display.

### OVER-DRY PREVENTION TECHNOLOGY (OPT)

Reduce linen, labour and utility costs with the precise drying performance of OPT.

### **UNMATCHED RELIABILITY**


Quality construction for reliable performance that is backed with a 3-year warranty.

### **EASY MAINTENANCE**

Industry leading, large and easy to clean lint compartment simplifies clean-up.

### FASTEST MOST EFFICIENT DRYING PROCESS

Axial air flow pattern ensures concentrated drying and maximum air utilisation.







# STACK TUMBLE DRYER SAT30

Available in both White and Stainless, this 30 pound microprocessor control gas dryer features:

- Air flow pattern achieves
   maximum drying efficiency as
   air enters the rim sealed cylinder
   from the back face and exits
   through the front lower quarter,
   ensuring load core drying.
- Manual start ensures safe, easy operation by staff of all skill levels.
- Energy saving 'Automatic Drying' function prevents over drying.
- Microprocessor control allowing easy programming to suit the individual laundry or load application.





# STACK TUMBLE DRYER SAT45

### 50% bigger capacity but less than 10% bigger foot print.

Available in both White and Stainless, this 45 pound microprocessor control gas dryer features:

- Air flow pattern achieves
  maximum drying efficiency as
  air enters the rim sealed cylinder
  from the back face and exits
  through the front lower quarter,
  ensuring load core drying.
- Manual start ensures safe, easy operation by staff of all skill levels.
- Energy saving 'Automatic Drying' function prevents over drying.
- Microprocessor control allowing easy programming to suit the individual laundry or load application.





### SPECIFICATIONS

|   | SAT30  | SAT45  |
|---|--|--|
| MEASUREMENTS                                |  |  |
| DIMENSIONS (H X W X D)                      | 1937 x 800 x 1086 mm                             | 2059 x 876 x 1235 mm                             |
| SHIPPING WEIGHT (APPROX)                    | 264 kg   | 326 kg   |
| DRUM CAPACITY                               | 301 litres                                       | 421 litres                                       |
| DOOR OPENING                                | 576 mm   | 683 mm   |
| MATERIALS                                   |  |  |
| CABINET                                     | Steel  | Steel  |
| CYLINDER                                    | Galvanised or Stainless Steel                    | Galvanised or Stainless Steel                    |
| DOOR HINGE                                  | Steel  | Steel  |
| ENERGY DATA                                 |  |  |
| ELECTRICAL REQUIREMENTS (GAS & STEAM HEAT)  | 240/50/1   | 240/50/1   |
| AMPS  | 7.5 amps   | 10.2 amps  |
| BREAKER SIZE AMPS                           | 10 amps  | 15 amps  |
| FULL LOAD AMPS - ELECTRIC HEATED (415/50/3) | 31   | Not available                                    |
| BREAKER - ELECTRIC HEATED (415/50/3)        | 40   | Not available                                    |
| GAS MODELS - PER POCKET BTU/HR              | 146,000-42.8                                     | 174,000 - 51                                     |
| GAS CONSUMPTION (MEGAJOULES)                | 137.2  | 184 (2 x 91.8)                                   |
| STEAM MODELS - AT 100 PSI (BTU/HR)-KW       | 111,000 - 32.5                                   | Not available                                    |
| ELECTRIC MODELS (KW)                        | 21   | Not available                                    |
| MOTOR HORSEPOWER                            | 1/4 cyl and 1/4 fan                              | 1/2 cyl and 1/2 fan                              |
| OPERATION                                   |  |  |
| DRYING CYCLES                               | 5  | 5  |
| AXIAL DRYING SYSTEM                         | Yes  | Yes  |
| CYCLE INDICATOR LIGHT                       | Yes  | Yes  |
| AGENCY APPROVALS                            |  |  |
| CCSAUS,CE                                   | Yes  | Yes  |
| AUSTRALIAN GAS APPROVAL                     | #7430  | #7430  |
| FEATURES                                    |  |  |
| ADJUSTABLE SELF-LEVELLING LEGS              | No   | No   |
| MULTIPLE VENT OPTIONS                       | n/a  | n/a  |
| MULTIPLE VENT KIT                           | n/a  | n/a  |
| LP CONVERSION KIT                           | Yes  | Yes  |
| EXHAUST FAN                                 | Yes  | Yes  |
| QUIET, EFFICIENT BLOWER                     | Yes  | Yes  |
| ADJUSTABLE END-OF-CYCLE BUZZER              | Yes  | Yes  |
| SECURED LINT FILTER                         | Yes  | Yes  |
| APPEARANCE                                  |  |  |
| FINISH                                      | Painted Textured Steel or Smooth Stainless Steel | Painted Textured Steel or Smooth Stainless Steel |
| COLOUR                                      | White or White with Stainless Steel Front        | White or White with Stainless Steel Front        |
| LOCATION OF CONTROLS                        | Front  | Front  |



### VIC, SA, TAS & NT

Speed Queen Equipment Sales 26 Theobald Street, Thornbury, VIC 3071 Telephone (03) 9495 1300 www.speedqueensales.com.au Email sales@speedqueensales.com.au

