



# MANUAL CONTROL COMPACT COMMERCIAL

LWS42	TOP LOAD WASHER
FTSA0	FRONT LOAD WASHER
LES37	FRONT LOAD DRYER (ELECTRIC)
LGS37	FRONT LOAD DRYER (GAS)
FES17	FRONT LOAD DRYER (ELECTRIC)
FGS17	FRONT LOAD DRYER (GAS)
L TSA7	STACK WASHER DRYER (ELECTRIC DRYER)
L TSA9	STACK WASHER DRYER (GAS DRYER)

 **MADE IN AMERICA, BUILT TO LAST SINCE 1908**

 **Speed Queen®**



# THE BEST IN CLASS JUST GOT **BETTER**

For more than a century, Speed Queen has been at the forefront of the industry, building our legacy by providing equipment that stands up to any commercial laundry challenge.

We make no compromises in performance and refuse to be outdone in reliability and efficiency. Unlike some competitors Speed Queen machines are built specifically for the commercial environment; we use metal where others use plastic and our world-class test lab rigorously pushes our products far beyond the conditions they'll face in the field.

For commercial laundry equipment designed for use in the toughest environments, you can rely on the tried, tested and proven performance of Speed Queen, to make your life simpler and more productive.

Made in America, refined for more than a century and built to last, Speed Queen laundry equipment represents a secure investment for your multi housing laundry facility.

# DEDICATED TO A HIGHER STANDARD

For commercial grade, compact laundry equipment, designed specifically for use in apartment buildings, residence halls, hotels and motels, campgrounds, retirement homes and the like, the Speed Queen compact range is the class-leading, proven solution.

Speed Queen delivers more than just clean results, with features designed to extend linen life, reduce water usage and utility costs and maximise productivity. Our heavy-duty construction provides reliable operation and guarantees your washers and dryers will be in service for years to come, while our high extraction force removes more water from each load, reducing energy costs, shortening drying times and increasing productivity.



# SPEED QUEEN MANUAL CONTROL FEATURES

## **AUTOMATIC BALANCING SYSTEM**

Users will appreciate the Automatic Balance System (ABS) for smooth and quiet operation, even on wood floors. The ABS provides the industry's best out-of-balance handling, completing wash cycles without interruption.

## **TEMPERATURE & MULTI-CYCLE CONTROLS**

Speed Queen offers you a user-friendly freewheeling timer knob for start and cycle selections with energy saver designation.

## **POLYTUFF® AGITATOR**


High vanes and an extra-long 210° agitation stroke deliver superior washability for all load sizes.

## **EXTRA-LARGE STAINLESS STEEL WASHTUB**

Our durable stainless steel washtub becomes smoother with each use, so clothes are less likely to snag.

## **ATTRACTIVE CONTROL PANEL**

Washers have attractive styling to match electric or gas dryers.



# MANUAL CONTROL TOP LOAD WASHER **LWS42**

## COMMERCIAL QUALITY

As the number one supplier of commercial and coin-operated laundry equipment, Speed Queen continues to lead in customer satisfaction.

The commercial heavy-duty manual control washer offers an energy and water saving design, and is built with many of the same rugged, reliable parts found in the coin-operated machines.

## QUALITY WASHER COMPONENTS

- Long-lasting galvanised steel cabinet
- Dependable Eversmooth all-metal transmission
- Heavy-duty ½ HP, two-speed motor
- Single-belt drive simplicity
- Corrosion-resistant polypropylene pump
- Pump clips for service convenience
- 100% front serviceable
- Seven cycles; three temperatures
- Adjustable water level control
- Flex vane agitator with fabric softener dispenser
- Bleach dispenser



# MANUAL CONTROL FRONT LOAD WASHER FTSA0

## COMMERCIAL QUALITY

As with the Top Load Washer, the Speed Queen Front Load Washer offers both an energy and water saving design plus the same rugged, reliable parts found in the commercial coin-operated machines.

## HORIZON® FEATURES:

- Large 39 cm door opening is 132% bigger than the previous model
- See-through door with 180° swing for easy loading and unloading
- Robust 25 cm steel piano style hinge to maintain door alignment
- Automatic, front mount dispenser adds detergent, bleach and softener
- Stainless steel washtub, with 4,912 perforations and three full-length baffles, to maximise wash action
- High-speed, 1,000 RPM extraction spin exerts 305 G-force to maximise moisture removal from clothes
- All drive components (pulley, trunnion, tub shaft and bearings) are manufactured with rugged steel construction
- Heavy-duty, 1/3 HP drive motor with reversing wash action
- Freestanding design features four large automotive style shocks so the washer can be installed on most floors
- No heavy foundations required.

# MANUAL CONTROL DRYER

## LES37 ELECTRIC & LGS37 GAS

### COMMERCIAL QUALITY

The perfect pairing for the top load washer, the rear control gas and electric dryers offer the same tried, tested and proven heavy-duty, commercial grade construction and energy saving design as all Speed Queen products.

### SUPERIOR DRYING CONVENIENCE

- Industry's largest door opening, offering the convenience of easy loading and unloading
- Reversible door for installation flexibility
- Upfront lint filter is easy to clean and secure

### DRYING AND ENERGY DYNAMICS

- Durable, white enamel steel cylinder with extra-large 9kg capacity
- Gentle tumble action to minimises wrinkles
- Quiet, efficient blower system with superior airflow of 6,230 litres/minute for faster drying and lower operating costs
- Efficient dryer heating with 21.9 megajoules/hr (gas models) and 4,000 Watts (electric models)

### ATTRACTIVE CONTROL PANEL

Commercial heavy-duty manual control electric or gas dryers have attractive styling to match top load washers.





# MANUAL CONTROL DRYER

## FES17 ELECTRIC & FGS17 GAS

### COMMERCIAL QUALITY

Along with front controls like the front load washer, the front control dryer shares the same tried, tested and proven heavy-duty, commercial grade construction and energy saving design as all Speed Queen products.

- Energy saving, automatic drying function prevents over-drying
- Front control machine fits neatly under bench tops and alike for more effective space utilisation
- Six cycles, three fabric temperatures
- 10 to 70 minute or auto cycle time
- Heavy-duty, 1/3 HP motor
- Galvanised steel drum
- Commercial-grade steel cabinet



# MANUAL CONTROL STACK WASHER/DRYER

**L TSA7** ELECTRIC &

**L TSA9** GAS

## COMMERCIAL QUALITY

With the Manual Control Stack Washer/Dryer you can get all the benefits of the Speed Queen washers and dryers in an intelligent, space saving design.

Made in the USA and built to last, the stack washer/dryer shares the same commercial grade, heavy-duty components and energy saving design as the stand-alone models.

## ULTRA HIGH EFFICIENT WASH SYSTEM

- ENERGY STAR® qualified
- Front load washer uses just 56 litres of water per cycle, a saving of more than 40% compared to most competitor top load washers
- High speed, 1,000 RPM water extraction spin

## HORIZON® QUALITY FEATURES

- Front mount supply dispenser automatically dispenses cleaning solutions
- Heavy-duty piano style door hinge
- Industry's largest door opening, offering the convenience of easy loading and unloading



# SPECIFICATIONS

	LWS42	FTSAO	FES17	FGS17
<b>MEASUREMENTS</b>				
CAPACITY	8 kg	8 kg	9 kg	9 kg
DIMENSIONS (H X W X D)	1092 x 651 x 711 mm	1051 x 683 x 711 mm	1051 x 683 x 711 mm	1051 x 683 x 711 mm
WORK SURFACE HEIGHT	914 mm	1051 mm	1051 mm	1051 mm
SHIPPING WEIGHT (APPROX)	88 kg	118 kg	70 kg	66 kg
DRUM CAPACITY	92 litres	80 litres	198 litres	198 litres
DOOR OPENING	Top	1217 cm <sup>2</sup>	n/a	n/a
DRYER DOOR OPENING	n/a	n/a	1914 cm <sup>2</sup>	1914 cm <sup>2</sup>
DRYER DOOR HINGE	n/a	n/a	Stainless Steel	Stainless Steel
CYLINDER HOLES (NUMBER)	n/a	5499	n/a	n/a
<b>MATERIALS</b>				
OUTER DRAIN TUB	Porcelain Coated Steel	Stainless Steel	n/a	n/a
CABINET	Painted	Painted	Painted	Painted
WASH TUB	Stainless Steel	n/a	n/a	n/a
CYLINDER	n/a	Stainless Steel	Galvanised	Galvanised
WASHER DOOR HINGE	n/a	Stainless Steel	n/a	n/a
STAINLESS STEEL BAFFLES (NUMBER)	n/a	3	n/a	n/a
<b>POWER</b>				
ELECTRICAL REQUIREMENTS	240/50/1	240/50/1	240/50/1	240/50/1
BREAKER SIZE	10	10	20	10
FULL LOAD AMPS	4.5	6	18	4.5
MOTOR HORSEPOWER	1/2	1	1/3	1/3
MOTOR SPEEDS	2	Variable	1	1
<b>OPERATION</b>				
CYCLE INDICATOR LIGHT	No	Yes	No	No
VARIABLE SPEED INDUCTION MOTOR	No	Yes	No	No
WASHER - SPIN SPEED	710/473	1000, 650, 500	n/a	n/a
WASHER - WATER EXTRACTION SPEED	See above	See above	n/a	n/a
WASHER - WATER TEMPERATURE SELECTIONS	3	4	n/a	n/a
WASHER - WASH CYCLES	3	5	n/a	n/a
WASHER - EXTRA RINSE OPTION	No	Yes	n/a	n/a
WASHER - VARIABLE WATER LEVEL	Yes	No	n/a	n/a
WASHER - 3 COMPARTMENT SOLUTION DISPENSER	No	Yes	n/a	n/a
WASHER - BLEACH DISPENSER	Yes	Yes	n/a	n/a
WASHER - FABRIC SOFTENER DISPENSER	Yes	Yes	n/a	n/a
DRYER - DRYING CYCLES	n/a	n/a	3	3
DRYER - AUTOMATIC DRY CYCLES	n/a	n/a	Yes	Yes
<b>DRYER ENERGY USE</b>				
GAS CONSUMPTION (MEGAJOULES)	n/a	n/a	n/a	23.74
ELECTRIC HEATING	n/a	n/a	4000 Watt	n/a
<b>AGENCY APPROVALS</b>				
WELS	No*	No*	No*	No*
SAA	Yes	Yes	Yes	Yes
E3	No*	No*	No*	No*
<b>FEATURES</b>				
FLEX VANE AGITATOR	Yes	n/a	n/a	n/a
FILL HOSES INCLUDED	Yes	Yes	n/a	n/a
AUTOMATIC BALANCING SYSTEM	Yes	Yes	n/a	n/a
REAR SELF-LEVELLING LEGS	Yes	No	No	No
MULTIPLE VENT OPTIONS	n/a	n/a	Yes	Yes
MULTIPLE VENT KIT	n/a	n/a	Yes	Yes
EXHAUST FAN	n/a	n/a	Yes	Yes
QUIET, EFFICIENT BLOWER	n/a	n/a	Yes	Yes
SECURED LINT FILTER	n/a	n/a	Yes	Yes
<b>APPEARANCE</b>				
FINISH	Tough Guard Coated Top, Painted Sides	Tough Guard Coated Top, Painted Sides	Tough Guard Coated Top, Painted Sides	Tough Guard Coated Top, Painted Sides
COLOUR	White	White	White	White
TOUGH GUARD COATED TOP	Yes	Yes	Yes	Yes
LOCATION OF CONTROLS	Rear	Front	Front	Front

\* WE HAVE NOT REGISTERED THESE "COMMERCIALY DISTRIBUTED HOME-STYLE MODELS", BUT ACCORDING TO THE 2012 GEMS ACT THE GOVERNMENT HAS ISSUED A "DETERMINATION" THAT "HOUSEHOLD MODELS THAT ARE USED IN A COMMERCIAL CONTEXT" ARE INCLUDED IN ENERGY PERFORMANCE LABELLING AND NEED TO REGISTER.

# SPECIFICATIONS

	L TSA7	L TSA9	LES37	LGS37
<b>MEASUREMENTS</b>				
CAPACITY	Washer - 8 kg / Dryer - 9kg	Washer - 8 kg / Dryer - 9kg	9 kg	9 kg
DIMENSIONS (H X W X D)	1911 x 683 x 711 mm	1911 x 683 x 711 mm	1092 x 683 x 711 mm	1092 x 683 x 711 mm
WORK SURFACE HEIGHT	n/a	n/a	914 mm	914 mm
SHIPPING WEIGHT (APPROX)	172 kg	175 kg	64 kg	66 kg
DRUM CAPACITY	80 litres	80 litres	n/a	n/a
DRYER DRUM CAPACITY	198 litres	198 litres	198 litres	198 litres
WASHER DOOR OPENING	1217 cm <sup>2</sup>	1217 cm <sup>2</sup>	n/a	n/a
DRYER DOOR OPENING	1914 cm <sup>2</sup>	1914 cm <sup>2</sup>	1914 cm <sup>2</sup>	1914 cm <sup>2</sup>
DRYER DOOR HINGE	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
CYLINDER HOLES (NUMBER)	5499	5499	n/a	n/a
<b>MATERIALS</b>				
OUTER DRAIN TUB	Stainless Steel	Stainless Steel	n/a	n/a
CABINET	Painted	Painted	Painted	Painted
WASH TUB	Stainless Steel	Stainless Steel	n/a	n/a
CYLINDER	Stainless Steel	Stainless Steel	White Painted Galvanised	White Painted Galvanised
WASHER DOOR HINGE	Stainless Steel	Stainless Steel	n/a	n/a
STAINLESS STEEL BAFFLES (NUMBER)	3	3	n/a	n/a
<b>POWER</b>				
ELECTRICAL REQUIREMENTS	240/50/1	240/50/1	240/50/1	240/50/1
WASHER BREAKER SIZE	10	10	n/a	n/a
DRYER BREAKER SIZE	20	10	20	10
WASHER FULL LOAD AMPS	6	6	n/a	n/a
DRYER FULL LOAD AMPS	18	4.5	18	4.5
WASHER MOTOR HORSEPOWER	1	1	n/a	n/a
DRYER MOTOR HORSEPOWER	1/3	1/3	1/3	1/3
MOTOR SPEEDS	Variable	Variable	1	1
<b>OPERATION</b>				
WASHER SPIN SPEED	1000, 650, 500	1000, 650, 500	n/a	n/a
WATER EXTRACTION SPEED	See above	See above	n/a	n/a
WATER TEMPERATURE SELECTIONS	4	4	n/a	n/a
WASH CYCLES	5	5	n/a	n/a
DRYING CYCLES	3	3	3	3
VARIABLE SPEED INDUCTION MOTOR	Yes	Yes	No	No
EXTRA RINSE OPTION	Yes	Yes	n/a	n/a
CYCLE INDICATOR LIGHT	Yes	Yes	No	No
3 COMPARTMENT SOLUTION DISPENSER	Yes	Yes	n/a	n/a
BLEACH DISPENSER	Yes	Yes	n/a	n/a
FABRIC SOFTENER DISPENSER	Yes	Yes	n/a	n/a
AUTOMATIC DRY CYCLES	Yes	Yes	Yes	Yes
<b>DRYER ENERGY USE</b>				
GAS CONSUMPTION (MEGAJOULES)	n/a	23.7	n/a	23.7
ELECTRIC HEATING	4000 Watt	n/a	4000 Watt	n/a
<b>AGENCY APPROVALS</b>				
WELS	No*	No*	No*	n/a
SAA	Yes	Yes	Yes	Yes
E3	No*	No*	No*	n/a
AUSTRALIAN GAS APPROVAL	n/a	Yes	n/a	Yes
<b>FEATURES</b>				
FILL HOSES INCLUDED	Yes	Yes	n/a	n/a
AUTOMATIC BALANCING SYSTEM	Yes	Yes	n/a	n/a
MULTIPLE VENT OPTIONS	Yes	Yes	Yes	Yes
MULTIPLE VENT KIT	Yes	Yes	Yes	Yes
LP CONVERSION KIT	n/a	Yes	n/a	Yes
EXHAUST FAN	Yes	Yes	Yes	Yes
QUIET, EFFICIENT BLOWER	Yes	Yes	Yes	Yes
SECURED LINT FILTER	Yes	Yes	Yes	Yes
<b>APPEARANCE</b>				
FINISH	Tough Guard Coated Top, Painted Sides	Tough Guard Coated Top, Painted Sides	Tough Guard Coated Top, Painted Sides	Tough Guard Coated Top, Painted Sides
COLOUR	White	White	White/Bisque	White/Bisque
TOUGH GUARD COATED TOP	Yes	Yes	Yes	Yes
LOCATION OF CONTROLS	Front	Front	Rear	Rear

\* WE HAVE NOT REGISTERED THESE "COMMERCIALY DISTRIBUTED HOME-STYLE MODELS", BUT ACCORDING TO THE 2012 GEMS ACT THE GOVERNMENT HAS ISSUED A "DETERMINATION" THAT "HOUSEHOLD MODELS THAT ARE USED IN A COMMERCIAL CONTEXT" ARE INCLUDED IN ENERGY PERFORMANCE LABELLING AND NEED TO REGISTER.

VIC, SA, TAS, NT

Speed Queen Equipment Sales  
26 Theobald Street, Thornbury, VIC 3071  
Telephone (03) 9495 1300  
[www.speedqueensales.com.au](http://www.speedqueensales.com.au)  
Email [sales@speedqueensales.com.au](mailto:sales@speedqueensales.com.au)

